MISSISSIPPI STATE DEPARTMENT OF HEALT 2013 JUN -7 AM 10: 24 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012

ebanon Water ASSN Public Water Supply Name D26 00 11
List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year of electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please check all boxes that apply.

	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other
	Date(s) customers were informed: //, //, //
Ľ.	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
	Date Mailed/Distributed: / /
	CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: Holmes Co Herald
	Date Published: 5 / 30 / /3
X C	CCR was posted in public places. (Attach list of locations) ASSN. Teller window CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED):

CERTIFICATION

I hereby certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Name/Title (President, Mayor, Owner, etc.)

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie. Yanklowski@msdh.state.ms.us

2013 JUN -7 AM 10: 24

2012 Annual Drinking Water Quality Report Lebanon Water Association PWS#: 0260011 May 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Lebanon Water Association have received a moderate ranking in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact Jimmie D. Thomas at 662.834.2646. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the second Tuesday of the month at 6:00 PM at the Lebanon Office Building on 17 N of Lexington.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST RESU	JLTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contami	inants						
Inorganic 10. Barium 13. Chromium	Contami	inants 2012	.005	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries erosion of natural deposits

14. Copper	N	2009/1	1* .1	0	ppm		1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2012	.149	.147149	ppm		4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/1	1* 3	0	dqq		0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfectio 81. HAA5	n By-	Produc	ts	No Range	dqq	0	***************************************		By-Product of drinking water
82. TTHM [Total trihalomethanes]	N	2012	233	No Range	ppb	0			By-product of drinking water chlorination.
Chlorine	N	2012	1.2	.04 – 1.9	mg/l	0	MRDI		Nater additive used to control nicrobes

^{*} Most recent sample. No sample required for 2012.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

*****April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 — December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The Lebanon Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

PROOF OF PUBLICATION RECEIVED-WATER SUPPLY

HOLMES COUNTY HERALD

2013 JUN -7 AM 10: 24

LEXINGTON, MISSISSIPPI

STATE OF MISSISSIPPI, **HOLMES COUNTY**

Personally appeared before me, the undersigned authority, Chancery Clerk of said County and State, Bruce Hill, publisher of a public newspaper called the Holmes County Herald established in 1959 and published continuously since that date in said County and State, who, being duly sworn, deposed and said that the notice, of which a true copy is hereto annexed, was published in said paper for __ times, as follows, to wit:

				2012		Water	Associa 80011	alily Rep tion	oort		
We're pleased to present to you this year's Annual Cuality Water Report. This report is designed to inform you about the quality water as envious we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of deniving water. We want you undestend the definits we make to conductably improve to we water breatment process and protect our water resources. We are committed providing you with information because informed constituents are our best affect. Our water source is from well clearlying from the Willow Annual Provided and the providing you with information because informed constituents are our best affect. Our water source is from well clearlying from the Willow Annual Provided and the Provided Annual Provided Annua											
The source we supply to iden made has been have received	aler asse lify poter n fumish a nvodera	sament hat itial sources ed to our pu ite ranking i	been co of contain thic water n terms of	npleto ninatic systa susca	id for our publi on. A report on m and is availa ptibility to conta	ic water inteining itale for inmatic	r system t I detaked wewing u m	o determi informatic pon reque	ne the in on E ist. The	overall susceptibility of its drawing wat low the susceptibility determinations we r wells for the Lebanon Water Association	
If you have an valued custom They are held	y questio ers to be on the se	ns about the Informed all cond Tuesd	is report o xout their ay of the n	r conc vater i	erning your wa utaty. If you wa at 6:00 PAI at 9	itar utiki ini to fe he Leba	ly. please arn more, non Office	contact Ji please jo Building	mmie i in us e on 17 i	Thomas at 662.834.2646. We want or I may of our regularly scheduled meeting t of Lexington.	
We routinely in contaminants in the table reflect in some cases in some cases incomed, industristions a vailety synthetic and value stations and so activities. In our provided by pull amounts of som poses a health	nonitor for high vere to the mo- i, radioac iminants, 3 wildlife, al, or down of source olebie org pide syste- dar to en bite, water a constit risk	constituent detected du si recent restince materia such as vi inorganic ci inorganic ci estic waste es such as paric cheminis; redicace sure that to, systems. Juents It's Juents It's J	s in your of ring the property and on the said of ruses and on terminari water disc egricultu cells, which below ounts p water is all orinking mportant to	trinking cried o nater to n pick bacto ts, suc tharge- re, ust n are to minan safe t r wate o remi	g water record if January 1° to avels over 1° to c up substance in us tray c the salis and s, oil and gas ; pan skom-water pan skom-water pan skom-water oil in us pan skom-water oil in us pan skom-water oil in us pan skom-water oil in us pan skom-water oil in us in us pan skom-water oil in us pan skom-water oil in us pan skom-water oil in us pan skom-water oil in us oil in oil	ing to F to Decan surface is or oc come fi f motals producte or runof industria te natur resoribe idad dris present	ederal and ober 31°, of land or octentinani ont solvage, which coon, mining t, and resi if processor reliy occur is regulationally walton on of these	i State km 2012. In undergroi is from the go treatment in be nate o, or farmed indential units and pel may be to be to the to to constitute	ws. This cases will do not present pla arally or ing; person the remnt the errors of the reason to do not so do not	is table below tast at of the driving value where nemotioning years? regulared in 2015 passives ansurably occurring minerate and ence of annuals of from human offers. If the service is a production, and the service is a production of the production of the production, and the service is a service of the se	2000
										ou better understand these terms we'w	
										equirements which a water system must	
Maximum Cont. MCLs are set as	anvinont L Close to	ove/ (AfCL) the MCLGs	· The 'M as teasibl	aximur e usiny	n Allowed" (MG	CL) is it able tro	no highest alment tec	level of a	conta	minant that is allowed in drinking water.	
Maximum Conte or expected risk	mineat t	numl Coat #	/// M			Jie leve	f of a cont	aminant s	n drinki	ing water below which there is no known	
	uat Disint	ectant Lave	I MRDLL	The	hinhaet Invol at	a dism	fectant allo	wed in d	inking	water. There is convincing evidence that	
Maximum Besid	unt Oisint	notant taux	Contra	anı nı							
					IN OCCUPATION	reaut?	to control	microbiai	comag	ninants wo years or a single penny in \$10,000	
Pens per billion ((000) or h	licrograms (or iter - o	uo Set	T per billion con	respond	espanas i Is ta one n	one min	ute in t 2.000 y	wo years or a single penny in \$10,000 ears, or a single panny in \$10,000,000	
					TEST I						
Contaminant	Viota Yil	Colfe		over tected	Range of De	tocks or	Unit Measure -ntent	MCLG	MC	L Likely Source of Contamination	
Inorganic	Conta	minant	s								
10. Başium	N	2012	.00	5	No Renge		ppm	2	_	Discharge of drating wastes: discharge from metal refineries;	
13. Chromium	N	2012	1.2		.9 1.2		ррф	100	1	erosion of natural deposits O Discharge from sleet and pulp milts; erosion of natural deposits	
14. Copper	"	2009/5			D		bbw	13	AL=1	Consion of household plumbing systems: erosion of natural deposits: leaching from wood preservatives	
10, PROPROE	N	2012	146		.147149		ppw.	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from lentitizer and aluminum factories	
-3-1			3		0		ppb	0	AL-	5 Corresion of household akingsion	
17. Lead		2009/11							!	systems, crosion of natural deposits	
17. keed Disinfection	<u> </u>	<u> </u>	 s							systems, ension of natural deposits	
Disinfection	<u> </u>	<u> </u>	37	No	Range	ppb		0	60	By-Product of diinking water	
Disinfection	n By-l	roduct			Range Range	bbp		0	G0 80	I deposits	
Disinfection HAS PARTIES Total Chiefers Chiefers	By-l	2012 2012 2012	37 233 1.2	No		L		0		By-Product of dinking water disaffection	
Disinfection 11. HAAS 12. 17HM Total Hadonne shanes Lationne Mant recent sample My you can see by sufferments. Wo lemvined thet you	N N N N N N N N N N N N N N N N N N N	Product: 2012 2012 2012 2012 2012 2012 SAFE at \$1	233 1.2 I for 2012 on fied ix th our nx less lovels	.04 Violal	Range - 1.9 tions, We're programmer by and testing	oud the		6 MRD	80 L = 4 ex, mise eve be	By-Product of divideng visiter distriction of the product of divideng visiter observation. By product of dimining water observation. When address were used to cooked microbes the product of the product	
Disinfection II. HAAS II. THIM Total Inhotoracheness Aboute you can see by suiforments. Wo lenwined thet you a are required to either or not out lifes systems of a	N N N N N N N N N N N N N N N N N N N	2012 2012 2012 2012 2012 2012 2012 2012	1.2 Ifor 2012. If our nices to the off his strength str	No .04 violal nilorin	Ranga 1.9 bons, We're pr 2. and testing inc constituents 1. In an effort	opportune of the second	noothly ba ure system d.	6 MRD nking wat	80 L = q eximple eximp	By-Product of danking water disarticism. By-product of danking water disarticism. By-product of densing water disheration. Water addrive used to control miscobes.	

V	ol. <u>55</u>	, No <u>()</u>) the 30714
đa	ny of MA	Η	, 2013
V	ol	, No	the
đa	y of		, 2013
V	ol	, No	the
da	y of		, 2013
V	ol	, No	the
da	y of		, 2013
V	ol	, No	the
da	y of		, 2013
		Smee	Hill
Witness my hand the 30 dayof	Publisher		
Witness my hand	and seal	at Lexington,	Mississippi this
the $\frac{30}{64}$ day of	1116	uy z	2013
Flenry	du	fill _	Chancery Clerk
by Charle	کی ۔۔ ریا	white	D.C.
Words_	times	Amou	int \$ <u>126.00</u>